

Atomoxetine

Quick Reference Guide for Teachers

Atomoxetine is used to treat attention-deficit hyperactivity disorder (ADHD). Atomoxetine may improve attention, concentration, and focus. It may help fidgeting.

Possible Side Effects	• Stomach upset	• Mood changes	• Jaw/left arm pain
	• Vomiting	• Weight loss	• Sudden severe headache
	• Constipation	• Difficulty urinating	• Weakness on one side of body
	• Fatigue	• Irregular heartbeat	• Confusion
	• Loss of appetite	• Fainting	• Slurred speech
	• Dry mouth	• Numbness	• Sudden vision changes
	• Dizziness	• Heart attacks	
	• Menstrual cycle changes	• Stroke	

When To Get Help	<p>Seek immediate medical attention if you notice any of the following serious side effects:</p> <ul style="list-style-type: none"> • Yellowing of skin or eyes • Dark urine • Severe stomach pain • Flu-like symptoms.
	<p>A very serious allergic reaction to this drug is rare but seek immediate medical attention if it occurs. Symptoms of serious allergic reaction include:</p> <ul style="list-style-type: none"> • Rash, itching/swelling • Severe dizziness • Trouble breathing

Atomoxetine

Quick Reference Guide for Teachers

Atomoxetine is used to treat attention-deficit hyperactivity disorder (ADHD). Atomoxetine may improve attention, concentration, and focus. It may help fidgeting.

Possible Side Effects	• Stomach upset	• Mood changes	• Jaw/left arm pain
	• Vomiting	• Weight loss	• Sudden severe headache
	• Constipation	• Difficulty urinating	• Weakness on one side of body
	• Fatigue	• Irregular heartbeat	• Confusion
	• Loss of appetite	• Fainting	• Slurred speech
	• Dry mouth	• Numbness	• Sudden vision changes
	• Dizziness	• Heart attacks	
	• Menstrual cycle changes	• Stroke	

When To Get Help	<p>Seek immediate medical attention if you notice any of the following serious side effects:</p> <ul style="list-style-type: none"> • Yellowing of skin or eyes • Dark urine • Severe stomach pain • Flu-like symptoms.
	<p>A very serious allergic reaction to this drug is rare but seek immediate medical attention if it occurs. Symptoms of serious allergic reaction include:</p> <ul style="list-style-type: none"> • Rash, itching/swelling • Severe dizziness • Trouble breathing

This reference guide was supported from the Canadian Institutes of Health Research (FRN: KAL-104248). Visit <http://katydid.info> for more information.



This reference guide was supported from the Canadian Institutes of Health Research (FRN: KAL-104248). Visit <http://katydid.info> for more information.

